



# MARKLINE

## 501 SERIES

**MARK** ARCHITECTURAL  
LIGHTING





## SMALL, VERSATILE AND IMPACTFUL.

The MARKLINE 501 linear accent luminaire offers superior optical performance and efficacy in the smallest of profiles. Within a single platform, the MARKLINE 501 Series can provide Static White and Color or dynamic options: RGBW Architainment Color, Tunable White or Warm Dimming. Whether grazing or washing, precise distribution options and accessories create design flexibility for any application.

## A COMPLETE SOLUTION

Single platform for Static White & color,  
RGBW, Tunable White and Warm Dimming  
Small footprint  
Efficacy with performance

### **Accessories:**

Cantilever  
Straight Blade Baffle  
Glare Visor  
Frosted, Clear Acrylic Lens  
Left and Right Power Feed Cable  
Jumper Cables





## BEST-IN-CLASS OPTICAL PERFORMANCE

The MARKLINE 501 Series offers multiple distribution options for floodlighting, grazing and wall washing. The exceptional beam control places light where it's intended for controlled precision.

<b>Narrow Spot</b> <ul style="list-style-type: none"><li>• 9° x 9°</li></ul>	<b>Spot</b> <ul style="list-style-type: none"><li>• 15° x 30°</li></ul>	<b>Narrow Flood</b> <ul style="list-style-type: none"><li>• 10° x 60°</li><li>• 30° x 60°</li></ul>	<b>Flood</b> <ul style="list-style-type: none"><li>• 40° x 60°</li><li>• 60° x 60°</li></ul>	<b>Cove</b> <ul style="list-style-type: none"><li>• 120° x 120°</li></ul>	<b>Asymmetric</b> <ul style="list-style-type: none"><li>• Wall Wash</li></ul>
--	---	---	--	---	---



### GRAZING

Skim light across surface to highlight texture.



### FLOODLIGHTING

Use wide distribution of light for general illumination.



### WALL WASH

Create smooth, even distribution across a surface.



### SPOT AND ACCENT LIGHTING

Emphasize architecture and design with targeted distribution of lighting.

## LIGHT AS INTENDED

The MARKLINE 500 Series is a single platform that includes a full range of lumen outputs, up to 1000 lumens per foot, providing the perfect amount of light for your application.

### STATIC WHITE/TUNABLE WHITE/WARMDIM:

300, 450, 600, 750, 1000 lumens per foot

### RGBW:

600, 750 lumens per foot







The MARKLINE 501 Series offers multiple distribution options for floodlighting, grazing and wall washing. The exceptional beam control places light where it's intended for controlled precision.

## DYNAMIC FEATURES

### STATIC WHITE & COLOR

Select from five static white correlated color temperatures or vibrant red, green, blue or amber static colors.

---

### TUNABLE WHITE

Reproduce natural light patterns and colors, complement materials and support productivity with white light featuring CCT control.



### WARMDIM

Replicate the comfortable, familiar feeling of traditional light sources warming in color as they are dimmed.



### ARCHITAINMENT COLOR

Paint with RGBW for saturated and pastel colors and movement to affect mood and create bold transformational effects.

---



## FINISHES

To seamlessly blend into a specific application, the Winline 501 Series is available in three durable standard architectural powder-coated finishes. Custom RAL colors are also available upon request.



WHT- White  
Textured Paint



BKT- Black  
Textured Paint



SIT- Silver  
Textured Paint

## ACCESSORIES



CANTILEVER ARM



CENTER AXIS  
INDOOR MOUNT



GLARE VISOR



FIXED MOUNT



BAFFLE



SIDE MOUNT



JUMPER CABLE



POWER FEED  
CABLE

## DIRECT VIEW

The optional direct view lens hides pixilation creating a soft ambient line of light.

## ELDOLED® DRIVER SOLUTIONS

The eldoLED driver delivers smooth and flicker-free deep dimming performance to dark.



Join the conversation – follow us on social media.

## MARK ARCHITECTURAL LIGHTING

Learn more about MARKLINE 501 at [www.MarkLighting.com](http://www.MarkLighting.com)

*The product images shown are for illustration purposes only and may not be an exact representation of the product.*

