



PLANAR

MARK ARCHITECTURAL LIGHTING



INTRODUCING PLANAR

Minimalist outside, Enrichment inside. With outstanding optics, nLight® wired and wireless controls and eldoLED® drivers, Planar minimizes energy usage within a low profile.




DELICATE DETAILS

- 0-10V eldoLED® driver provides smooth, flicker-free dimming to dark
- High-performance lens, film and reflectors control and diffuse light with multiple distributions available
- Select either a flat or sculptured, die-cast endcap
- Suspended and wall mount options



Planar LED is most high performing and efficient when specified at 70% indirect/30% direct





NLIGHT®

Networked lighting controls reduces energy costs, aids in building code compliance, occupant comfort and much more. nLight® is a lighting controls solution that is easy to specify, install, and use that grows with the pace of your business today and tomorrow.



NLIGHT® WIRED

Using only standard CAT-5e cables, an occupancy sensor, wall stations and digital LED luminaires, the nLight networked digital lighting system provides unmatched flexibility.



NLIGHT® AIR

This simplified wireless lighting control solution for renovation projects is comprised of a smart sensor embedded in Acuity Brands® LED fixtures and wireless battery powered nLight AIR wall switches. The nLight AIR system allows you to confidently and quickly finish the job and move on to the next one with easy to install wireless controls – fewer devices, no wires.





MARK ARCHITECTURAL LIGHTING

To learn more about PLANAR, visit www.MarkLighting.com

Join the conversation - follow us on social media.



The product images shown are for illustration purposes only and may not be an exact representation of the product.