



## GlasWerks® LED

Prismatic Pendants

# You get Holophane® performance in a broad portfolio of form factors with the GlasWerks LED prismatic series.

The Glaswerks LED family of outdoor LED pendants utilizes multiple shapes with traditional, transitional, or contemporary styling. With borosilicate glass optics it offers a lighting solution that presents both sparkling beauty by day and visually comfortable illumination by night.

This third generation GlasWerks design is available in a significant breadth of timeless style choices while leveraging energy-saving lighting and controls technology. As a matter of fact, the Glaswerks LED prismatic series is available in your choice of seven attractive form factors with up to five different glass refractor shapes. A pendant by design, the family is also available with an arm mounting configuration for additional application flexibility.

Also, utility-friendly toolless access, prewired terminal block and optional quick-mount fitters are just a few more ways that the new GlasWerks LED can save you time and money on installation and operational costs.

## The Holophane Difference

- + Seven attractive housings and five refractor styles provide a broad selection of decorative form factors
- + Visually comfortable prismatic glass optics
- + 50-250W HID Replacement
- + Lumen package choices up to 12,000 lumens and 135 LPW
- + Asymmetric and symmetric distributions
- + Long system life rated for L70 > 100,000 hours at 25°C
- + 20kV/10kA extreme surge protection
- + 2700K, 3000K and 4000K CCT; 70 CRI
- + Utility-friendly toolless electrical component access
- + Universal electrical component tray for ease of maintenance and installation
- + Arm mount or pendant mount with quick-mount fitter option
- + Field-adjustable lumen output module available
- + Advanced DTL® controls that optimize your energy and maintenance savings



Prismatic glass optics for visually comfortable lighting by night and sparkling beauty by day.



**BorisilicatePrismatic Glass Optics**

- + Visually comfortable - low glare
- + Durable permanence protects LED investment
- + Multiple roadway and area distributions
- + Five different optic form factors

- Typical Applications
- City Streets

Urban Boulevards

Campuses

Parks

Historic Districts

Commercial Developments



Teardrop



Bowl



Sag



Small Cylinder



Large Cylinder






Let GlasWerks LED enhance and beautify your site or roadway with a classic architectural statement



## GBLB3 Bern® Series

Max Effective Projected Area –1.8ft²  
Maximum Weight –64lbs




Pendant Mount  
Teardrop Glass

Arm Mount  
Bowl Glass



## GPLB3 Prague® Series

Max Effective Projected Area –1.7ft²  
Maximum Weight –61lbs



Pendant Mount  
Teardrop Glass

Arm Mount  
Bowl Glass






Choose from a host of appealing aesthetic form factors ranging from traditional to transitional or contemporary



GSLB3

Hallbrook® Series

Max Effective Projected Area –1.6ft<sup>2</sup>  
Maximum Weight –60lbs



Pendant Mount  
Bowl Glass


Arm Mount  
Sag Glass



GELB3

Hallbrook®  
Extended Series

Max Effective Projected Area –1.7ft<sup>2</sup>  
Maximum Weight –64lbs



Pendant Mount  
Teardrop Glass

Arm Mount  
Bowl Glass






Advanced prismatic glass optics and appealing color temperatures are combined to provide the ultimate in visually comfortable lighting



## GNLB3 Vienna® Series

Max Effective Projected Area –2.0ft²  
Maximum Weight –68lbs




Pendant Mount  
Teardrop Glass

Arm Mount  
Bowl Glass



## GMLB3 Milan® Series

Max Effective Projected Area –1.7ft²  
Maximum Weight –43lbs



Pendant Mount  
Large Cylinder Glass

Arm Mount  
Sag Glass






Environmentally friendly LED lighting reduces carbon footprint while improving visibility and enhancing safety of drivers and pedestrians



## GYLB3 Lyon Series

Max Effective Projected Area –1.8ft<sup>2</sup>  
Maximum Weight –47lbs



Pendant Mount  
Large Cylinder Glass

Arm Mount  
Bowl Glass






# GlasWerks® LED

## Prismatic Pendants

Why choose Holophane? Durability, reliability and industry-leading performance.



Incorporating DTL® controls can save an additional 25 to 45% energy. Acuity Controls designed 7-pin photocontrol receptacle comes standard on all models.



The Holophane FAO module option allows you the flexibility of adjusting lumen output in the field to get the desired illumination on a pole-by-pole basis.



Simplify installation and maintenance with features such as toolless entry and pre-wired terminal block.



Protect your LED investment with the Holophane best-in-class 20kV/10kA surge protection device.



### Acuity Brands Lighting, Inc.

Holophane Headquarters, 3825 Columbus Road, Granville, OH 43023

Acuity Brands Lighting Canada, Inc., 35B Minthorn Blvd., Markham, ON, L3T 7N5

Holophane, S.A. de C.V., Km. 31 Carretera Mexico-Cuautitlan 54900 Tultitlan Edo. De Mexico

**Contact your local Holophane factory sales representative** for application assistance, and computer-aided design and cost studies.

**Warranty** Five-year limited warranty. Full warranty terms located at [www.acuitybrands.com/CustomerResources/Terms\\_and\\_conditions.aspx](http://www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx)

Visit our web site at [www.holophane.com](http://www.holophane.com)