

VRNL

VANDAL RESISTANT
NIGHT LIGHT



Luminaire Led

THE VRNL IS A VANDAL-RESISTANT NIGHT LIGHT

Engineered to deliver consistent, low-level illumination in environments where security and durability are non-negotiable. Designed for demanding applications, VRNL features IP66 and IK10 protection against water and impact abuse. Its robust, tamper-resistant construction ensures long-term performance while minimizing maintenance needs. In spaces where safety can often feel uncertain, VRNL provides dependable illumination designed to provide confidence and reassurance.





BUILT TO LAST

IK10 impact resistance, IP66 sealed protection, and reinforced construction stands up to continuous use in high-traffic, high-abuse settings with reduced maintenance demands.

COMPLIANCE YOU CAN TRUST

NOM and CSA certifications support code requirements and reduce exposure to safety and liability risks.

SECURITY & INTENTIONAL DESIGN

Engineered with both tamper and ligature-resistant features that support secure operation and reliable nighttime visibility in high-risk environments.



ILLUMINATION AESTHETICS

A refined, low-profile design with soft nighttime illumination that avoids an institutional look while maintaining architectural cohesion.

SPACES THAT DEMAND CONFIDENCE

Suited for correctional, detention, transportation, locker room, and other environments where controlled, low-level light is essential.





White (WHT or AMF)



Black (BLK)



Brushed Aluminum (BA)



Bronze (BRZ)

COLOR TEMPERATURE

Amber
2700K
3000K
3500K
4000K

DIMENSIONS

VTR Faceplate:
3.2" x 5.1" x .438"

HZR Faceplate:
6" x 3.75" x .438"

ACCESSORIES

Optional built in photocell

INSTALLTION

No visible fasteners.
Fits in a single gang junction box.
Accessible for maintenance.

RATINGS

IK10
IP66
NOM
CSA

LUMEN OUTPUT

High Lumen Output: 85LM*
Low Lumen Output: 25LM*
*Light output varies with selected CCT



Luminaire *led*

WWW.LUMINAIRELED.ACUIITYBRANDS.COM

One Lithonia Way, Conyers, GA 30012 | Phone: 800.705.7378 | www.acuitybrands.com
©2026 Acuity Brands Lighting, Inc. All Rights Reserved. | LML_2897866.01_0626

