# **∧** CULUX<sup>®</sup>






AX3


3" Precision Recessed Luminaires



## Aculux® AX3: Ultimate Elegance

Aculux 3-inch precision recessed luminaires feature a rare combination of lighting power, precision aiming, and proprietary optics delivering quiet, best-in-class performance. The AX3 from Aculux is the only 3-inch aperture capable of delivering up to 3000 lumens and 32,000 centerbeam candlepower in a full range of downlighting, adjustable accent, and wall wash applications. Remaining discreet and inconspicuous, the AX3 creates the kind of ambiance uncompromising designers seek.






#### Tru-Line™ Precision Installation

A precise design starts with a precise installation. The patented Pro-VI™ bar hangers, coupled with patented +/-1/2" aperture translation and +/- 45° aperture rotation makes perfect fixture to fixture alignment achievable.




#### Superior Wall Wash Uniformity

Newly redesigned asymmetric lensed wall wash luminaire, delivers exceptional uniformity ceiling to floor.




#### **Optimized Centerbeam Optics**

Beam translates through the center of the aperture at the ceiling plane, reducing the amount of light on the trim and resulting in quiet, glare-free apertures.



#### Acu-Aim<sup>™</sup> Precision Aiming

Aculux delivers a smooth, effortless aiming session. The precision geared aiming provides 45° vertical adjustment and 370° rotation. The optimized center-beam optics results in highly efficient, low brightness apertures absent of glare or flash.



#### **Exceptional Glare Control**

AX series delivers exceptionally quiet ceilings by employing an industry best 45° visual cutoff to source and source image, regardless of distribution or trim specified.



# Comprehensive 3" LED Family Offering

Available in Round and Square apertures in (Adjustable, Downlight, and Wall Wash) New Construction and Remodel luminaires.

#### **Housing Options**



Regular Non-ICAT | ICAT | CP

Only 3-1/2" depth above ceiling



Low Profile Non-ICAT | ICAT | CP



Remodel Non-IC

#### **Function**


Adjustable Downlight
Accent and Wall Wash




Delivered Lumens 600 | 800 | 1200 | 1500 2000 | 2500 | 3000

#### **Color Temperature**

90+



#### Beam Spreads



#### **Options**

- · Chicago Plenum
- IC Air-Tight
- Wet Location
- Integrated Emergency Battery Back Up





### Indisputably Stunning

Aculux 3" luminaires offer the industry's broadest trim offering. They are available in round and square apertures, for downlighting, adjustable accent, or wall wash applications. The Aculux 3" family is available in flanged or flangeless for gypsum, stone, or tile ceilings.

# Downlight

Parabolic Cone

3DH Hyperbolic Cone

3DBV **Bevel** 

3DPIN 1-1/4" Pinhole 1-3/4" Pinhole

3SQD Parabolic Reflector

3SQDBV Bevel







3AC20











Adjustable Accent



3АС 0-45° Angle Cut 0-20° Angle Cut





3SQAPIN

3ABV

1-1/4" Pinhole 1-3/4" Pinhole

3APIN, 3APINLG

















3WW Lensed WW



3SQWW Lensed WW













Clear Diffuse

Clear Specular

Wheat Diffuse



Black Specular Square Finishes

White Paint











Clear Diffuse White Paint

Wheat Diffuse

Black Diffuse

Flange Style







Flanged

Flangeless (Gypsum) Flangeless (Millwork)





#### Aculux is precision defined...

Aculux precision luminaires have a welldeserved reputation for quality and innovation in the world of architectural lighting. They were among the first to offer discreet LED recessed adjustables featuring precision geared aiming and field interchangeable optics. Aculux precision recessed luminaires have always led the industry, delivering the highest center beam candlepower and lumens from smaller apertures while maintaining quiet ceilings that blend seamlessly into the architecture. Designed and engineered specifically for residential, hospitality, and corporate interiors, Aculux provides a touch of elegance and sophistication that lights up a room.

