∧ CULUX[®]





AX3


3" Precision Recessed Luminaires



Aculux® AX3: Ultimate Elegance

Aculux 3-inch precision recessed luminaires feature a rare combination of lighting power, precision aiming, and proprietary optics delivering quiet, best-in-class performance. The AX3 from Aculux is the only 3-inch aperture capable of delivering up to 3000 lumens and 32,000 centerbeam candlepower in a full range of downlighting, adjustable accent, and wall wash applications. Remaining discreet and inconspicuous, the AX3 creates the kind of ambiance uncompromising designers seek.





Tru-Line™ Precision Installation

A precise design starts with a precise installation. The patented Pro-VI™ bar hangers, coupled with patented +/-1/2" aperture translation and +/- 45° aperture rotation makes perfect fixture to fixture alignment achievable.




Superior Wall Wash Uniformity

Newly redesigned asymmetric lensed wall wash luminaire, delivers exceptional uniformity ceiling to floor.




Optimized Centerbeam Optics

Beam translates through the center of the aperture at the ceiling plane, reducing the amount of light on the trim and resulting in quiet, glare-free apertures.



Acu-Aim™ Precision Aiming

Aculux delivers a smooth, effortless aiming session. The precision geared aiming provides 45° vertical adjustment and 370° rotation. The optimized center-beam optics results in highly efficient, low brightness apertures absent of glare or flash.



Exceptional Glare Control

AX series delivers exceptionally quiet ceilings by employing an industry best 45° visual cutoff to source and source image, regardless of distribution or trim specified.



Comprehensive 3" LED Family Offering

Available in Round and Square apertures in (Adjustable, Downlight, and Wall Wash) New Construction and Remodel luminaires.

Housing Options



Regular Non-ICAT | ICAT | CP

Only 3-1/2" depth above ceiling



Low Profile Non-ICAT | ICAT | CP




Remodel Non-IC

Function

Adjustable Downlight
Accent and Wall Wash

Delivered Lumens 800 | 1200 | 1500 2000 | 2500 | 3000

Color Temperature






CRI: 80+





Beam Spreads



Options

- Chicago Plenum
- IC Air-Tight
- Wet Location
- Integrated Emergency Battery Back Up





Indisputably Stunning

Aculux 3" luminaires offer the industry's broadest trim offering. They are available in round and square apertures, for downlighting, adjustable accent, or wall wash applications. The Aculux 3" family is available in flanged or flangeless for gypsum, stone, or tile ceilings.

3DPIN 3DBV 3DH 3DP 1-1/4" Pinhole Downlight Parabolic Cone Hyperbolic Cone Bevel 1-3/4" Pinhole **3APINLG** 3AC 3AC20 3ABV 1-1/4" Pinhole Adjustable 0-45° Angle Cut 0-20° Angle Cut 1-3/4" Pinhole Bevel Accent 3SQAPIN 3SQAPINLG 3SQA 3SQABV 1-1/4" Pinhole Angle Cut Bevel 1-3/4" Pinhole 3WW 3SQWW Wall Wash Lensed WW Lensed WW Round Finishes White Paint Clear Diffuse Clear Specular Wheat Diffuse Black Specular Square Finishes Wheat Diffuse Black Diffuse White Paint Clear Diffuse Flange Style Flanged Flangeless (Gypsum) Flangeless (Millwork)



3SQDBV

Bevel

3SQDPIN

1-1/4" Pinhole

Aculux is precision defined...

3SQD

Parabolic

Reflector

3APIN,

Aculux precision luminaires have a welldeserved reputation for quality and innovation in the world of architectural lighting. They were among the first to offer discreet LED recessed adjustables featuring precision geared aiming and field interchangeable optics. Aculux precision recessed luminaires have always led the industry, delivering the highest center beam candlepower and lumens from smaller apertures while maintaining quiet ceilings that blend seamlessly into the architecture. Designed and engineered specifically for residential, hospitality, and corporate interiors, Aculux provides a touch of elegance and sophistication that lights up a room.

