


TRAC-MASTER®

Mounting Accessories

MONOPOINTS and SPECIAL MOUNTINGS

Project: _____

Fixture Type: _____

Location: _____

Contact/Phone: _____



PRODUCT DESCRIPTION

Special adapters permit the flexibility of mounting trac lights in various ways to meet special requirements.

PRODUCT SPECIFICATIONS

Government Procurement





BAA – Buy America(n) Act: Product qualifies as a domestic end product under the Buy American Act as implemented in the FAR and DFARS. Product also qualifies as manufactured in the United States under DOT Buy America regulations.

BABA – Build America Buy America: Product qualifies as produced in the United States under the definitions of the Build America, Buy America Act.

Please refer to www.acuitybrands.com/buy-american for additional information.



Line Voltage Monopoint Adapters

Example: T40N BL

T40N	T40F	T41N	T42N
BL, SL, WH	BL, WH	BL, WH	BL, WH
Monopoint Adapter Mounts directly to outlet box. Accepts one 120V Juno trac fixture. 	Flush Monopoint Adapter Mounts directly to 4" outlet box only. Accepts one 120V Juno trac fixture with <u>standard size</u> trac adapter. 	Duo-Point Adapter Mounts directly to an outlet box. Accepts two 120V Juno trac fixtures. 	Weighted Base For portable use. Supplied with 8' cord and plug. Accepts one 120V Juno trac fixture. 

Line Voltage Coil – Cord Clamp-Ons

Example: T132 WH

T132	T133
BL, WH	BL, WH
120V Monopoint with Trac Adapter 120V Monopoint with trac adapter for electrical connection to Trac. Accepts one 120V Juno trac fixture with <u>standard size</u> trac adapter. 	120V Monopoint with Male Plug 120V Monopoint with male plug (120V) attaches to receptacle. Accepts one 120V Juno trac fixture with <u>standard size</u> trac adapter. 

TRAC-MASTER®

Mounting Accessories

MONOPOINTS and SPECIAL MOUNTINGS

Line Voltage Extension Wands

Examples: TEW 12IN BL


TEW	TEWS
12IN, 18IN, 24IN, 36IN, 48IN	
BL, SL, WH	BL, WH
<p>Line Voltage Extension Wands</p> <p>For use with one or two circuit trac and line voltage monopoints. Accepts one 120V Juno trac fixture with <u>standard size</u> trac adapter.</p> <p>Note: SL finish for TEW only available in 18" and 24" lengths and in limited quantities</p>	<p>24" Wand Slope Adapter</p> <p>Accepts one 120V Juno trac fixture with <u>standard size</u> trac adapter.</p>



Line Voltage Slope Ceiling Adapter

Examples: T95 BL


T95
BL, WH
<p>Slope Ceiling Adapter</p> <p>Attaches to trac, permitting Trac-Master or Trac-Lites Trac fixtures with <u>standard size</u> trac adapter to be hung vertically from sloped ceiling. 90° maximum adjustable</p>



T252L, R Series Low Voltage Monopoint Adapters

Example: T58 BL

T58
BL, WH
<p>Monopoint Adapter</p> <p>For T252L or Trac-Lites R Series Low-Voltage Power Packs. Mounts directly to outlet box. Adapter is offset to accept compatible styles. Power Pack latch locks in detent.</p>



TRAC-MASTER®



Mounting Accessories

MONOPOINTS

and SPECIAL MOUNTINGS


Low Voltage Extension Wands

Examples: TWL 12IN BL, TWLED 18IN WH

TWL12	TWLED
12IN, 18IN, 24IN, 36IN, 48IN	12IN, 18IN, 24IN, 36IN, 48IN
BL, SL, WH	BL, SL, WH
<div>Low Voltage Extension Wands</div> <div>Accepts one Juno 12V low voltage spotlight. Attaches to T537 Power Pack.</div> <div></div>	<div>T252L Extension Wands</div> <div>Attaches between T252L fixture housing and LED driver housing to move the light source closer to illumination point without lowering the trac mounting height.</div> <div></div>

Steel Safety Cable (Lanyard)

Example: TSSC 18IN

TSSC
18IN
<div>Steel Safety Cable (Lanyard)</div> <div>18" steel safety cable (lanyard) may be used to secure trac fixture to trac, to protect it against falling into space if fixture accidentally becomes disengaged from trac.</div> <div></div>